Precision Accelerator Thrust (No v's)

Chris Polly, Fermilab DOE Laboratory Intensity Frontier Research Review May 21, 2013





Recurring themes among FNAL scientists

- Innovation in developing proposals
- High-level project management tasked with delivering experiments
- Scientific leadership within the experiments
- Fostering science within the collaboration, the HEP community, and the public
- Warning: About 38 (KA22) scientists listed in this talk, can't possibly cover all contributions




Plotting a course for the near-term...



Successful completion of Tevatron Run II opened unique possibilities for a future program with existing infrastructure

- Leverages a national asset
- Capable of providing world-class particle physics this decade
- Fermilab scientists absolutely central in developing a practical transformation from Run II to world-class fixed target program

...while keeping an eye towards the future



Project X design capable of producing most intense beams on the planet

Even at Stage 1:

- 8 GeV Booster protons (20kW -> 40 kW)
- -120 GeV MI protons (700kW -> 1200kW)
- 1 GeV Project X (900kW)


Fermilab scientists working on efforts to propose new physics programs



Outline for today

- Pushing Muon g-2 to the discovery threshold
- Probing 1000 TeV with Mu2e
- Development of a coherent muon program
- 1000 event golden mode in ORKA
- Evolution of the program through Project X







Unique probe of new physics

- Chirality-flipping, most LHC searches are not
- CP and flavor-conserving, unlike many other low energy observables
- Sensitive to sleptons and sign(μ) in SUSY, dark matter models

Could be why g-2 is the only precision observable hinting at new physics

Muon g-2 Motivation: Harbinger of new physics







Muon g-2 Overview & FNAL Cast



B. CASEY	Detector L2, Tracker L3, Tracker R&D
M. CONVERY	Accelerator L2
T. GADFORT	Simulations and inflector
C. JOHNSTONE	External beamline
B. KIBURG (RA)	Storage ring modeling and installation
A. LYON	Head of computing & simulations
W. MERRITT	Deputy Project Manager
H. NGUYEN	Storage ring L2, Magnet R&D
C. POLLY	Project Manager
M. ROMINSKY (RA)	Testbeam and tracker R&D

^{*}No conveners/analysis coordinator types since experiment is in project phase


Can happen on a short timescale (2016 data)

- Transport storage ring and E821 equipment from BNL to Fermilab
- Convert anti-proton source into muon source
- Upgrade ring sub-systems and detector packages
- Run expt for x4 improvement in precision,
 5σ sensitivity to BNL discrepancy





Muon g-2 KA22 Scientists in Project (to L2)



*Adam Lyon – Head of computing and simulations



Promoting g-2 Collaboration

Fermilab is a User facility, responsibility of project and FNAL scientists to recruit and enable

- Casey/Polly seminar tour to spread word of g-2 (Cornell, NIU, Northwestern)
- Lyon establishing global simulation & analysis framework in group computing environment, computing liaison to all
- Kiburg/Lyon hosted simulation workshops to train collaborators
- Casey/Polly served as spokespeople for test beam runs for universities to test detector/DAQ development
- Rominsky/Casey created straw test stand, engaging students and collaborators
- Nguyen/Polly established work parties at BNL for grad students/RAs to aid in disassembly

Working to establish a positive environment for collaborators feel welcome to come and be part of intellectual center

```
Argonne (Slow Controls, NMR Trolley)
Boston University (Straw Electronics, Fast Rotation)
Brookhaven (Quads, Storage Ring, DAQ, Analysis)
Budker (Straws)
Cornell (New Kickers, WFDs, Simulations)
Dresden (Theory)
Fermilab (Ring, Accel, Traceback, Dynamics, Field)
Frascati (Calibration, SiPMs)
Illinois (Clock, Electronics)
James Madison (Muon Losses)
JINR, Dubna (Straws)
Kentucky (DAQ)
KEK
KVI (Magnetic Field)
Massachusetts (Magnetic Field)
Michigan (Magnetic Field)
Muons Inc. (Beam & Target Design)
 NIU (Straws and Ring Transport)
 Northwestern (Tracking, Theory)
 Osaka (Calorimeter)
  PNPI (Straws)
   Regis (Fiber Harp Monitor, Analysis)
   Rome (Calibration)
    Shanghai (Calorimeter Crystals)
     Virginia (SiPM Low Voltage)
```

Washington (Calorimeters, Dynamics, Field)
York College (Storage Ring Simulation)

Examples...

Peter, ANL Associate Scientist



Brendan, UW Postdoc (now FNAL LF)

Leah, Northwestern postdoc



* All examples of young non-FNAL scientists gaining experience via work environments established by lab scientists

Volodya, BNL Associate Scientist



Robin, Cornell grad student



Nathan, UW grad student




Students at Straw R&D






Muon g-2 Future Scientific Focus I

- Disassembly, transport, and reestablishing the experiment at Fermilab (Nguyen, Polly)
- Development of simulation framework for injection (Gadfort, Kiburg, Lyon)
- Development of trackers based on in vacuo straw technology (Casey, Rominsky)




Gadfort leading G4 sim. effort for inflector/kicker/quad design




Rominsky Garfield simulation of to meet experimental needs straw repsonse



Polly Coordinating building specs to meet experimental needs



Nguyen/Polly coordinating of safe transport of E821 equipment, 2013 high priority




Lyon coordinating merge of G4 with ART



Muon g-2 Future Scientific Focus II


- Shimming the storage ring to unprecedented field uniformity (Kiburg, Nguyen)
- Field measurement R&D (Kiburg, Nguyen)




Kiburg leading OPERA 2D modeling of field shimming kit,

analysis of multipoles

Nguyen establishing high-field, high-uniformity, large bore test magnet





Nguyen ANSYS model of thermal distortions

* Many more examples of code development and studies in the ART G4 framework...



Mu2e one of very few ways to probe 1000 TeV scale


Dipole terms


- SUSY
- Heavy Neutrinos
- Higgs Doublet
- Also probed by MEG

q χ_0 e \tilde{e} q q


Contact terms

- Leptoquarks
- Compositeness
- Anomalous heavy couplings






Mu2e Motivation: Probing *O*(10000 TeV)



$$L = \frac{m_{\mu}}{(\kappa + 1)\Lambda^{2}} \overline{\mu} R \sigma_{\mu\nu} e_{L} F_{\mu\nu} + \frac{\kappa}{(\kappa + 1)\Lambda^{2}} \overline{\mu}_{L} \gamma_{\mu} e_{L} \sum_{q=u,d} \overline{q}_{L} \gamma^{\mu} q_{L}$$

Mu2e Overview & FNAL Cast




- Construct extensive solenoid system
- Convert anti-proton source for slow spill proton extraction to target in PS
- Produce, install, and read out straw tracker and calorimeter
- Control backgrounds and extend sensitivity to mu-e conversion by 4 orders of magnitude!

G. AMBROSIO	Transport solenoid	
R. BERNSTEIN	Co-Spokesperson	
M. BUEHLER	Magnet meas. and simulation	
R. COLEMAN	Target Station L3, magnet R&D	
S. FEHER	Detector Solenoid L3	
A. GAPONENKO (WF)	Beam extinction monitor	
G. GINTHER	Muon Beamline L2	
D. GLENZINSKI	Deputy Project Manager, veto R&D	
C. JOHNSTONE	Extinction beam L3, beamline R&D	
P. KASPER	Extinction monitor design	
K. KNOEPFEL (RA)	Backgrounds, Project X upgrades	
R. KUTSCHKE	Head of software and simulations	
M. LAMM	Solenoids L2, solenoid R&D	
M. LOPES	Design of trans/detector solenoids	
S. MOED SHER	Extinction monitoring and analysis	
A. MUKHERJEE	Tracker L2, Tracker R&D	
G. PIACENTINO	Tracker development	
A. PLA-DALMAU	Scintillator development	
G. RAKHNO	Extinction beamline optimization	
R. RAY	Project Manager, Detector R&D	
V. RUSU	Tracker infrastructure L3	
S. STRIGANOV	Anti-proton background	
M. TARTAGLIA	Magnetic field mapping L3	
G. TASSIELLI	Tracking algorithms	
R. WAGNER	Tracking deputy leader	



Mu2e KA22 Scientists in Project (to L2)



*Rob Kutschke – Head of computing and simulations



Promoting Mu2e Collaboration

```
Boston (magnet field specifications, stopping target
        monitor, spectrometer calibration, simulations)
BNL (cathode strip chambers)
LBNL and UCBerkeley (tracker asic, pattern recognition
        and track fitting software, simulations)
UC Irvine (simulations)
Caltech (calo crystal R&D/calibration, DAQ, simulations)
CUNY (vacuum chamber for tracker R&D)
JINR Dubna (calorimeter crystal R&D, cosmic veto R&D)
Duke (tracker straw assembly and R&D)
INFN Frascati (calorimeter crystals, calo electronics, calo
        power supplies, calo R&D, simulations)
INFN Genova (TS coils R&D, superconductor QC)
U.Houston (tracker readout controller)
U.Illinois (calo electronics)
 INFN Lecce (tracker support structure, simulations)
 Marconi (simulations)
  NIU (muon beam stop, simulations)
   INR Moscow (simulations)
    INFN Pisa (simulations)
     Rice (tracker straw assembly, simulations)
      INFN Trieste/Udine (calo photosensors, cosmic veto)
       U. Virginia (cosmic veto design and construction)
        U.Washington (testbeams)
```

Fermilab is a User facility, responsibility of project and FNAL scientists to recruit and enable participation

- Bernstein as co-spokesperson spends time working to keep community informed and engaged in Mu2e
- Kutschke implemented ART framework for Mu2e collaboration
- Glenzinski development of cosmic ray veto test stand at FNAL

Unprecedented leap in sensitivity...task force leaders that organize various key efforts

- Gaponenko global backgrounds and sensistivity (previously led by Glenzinski/ Tschirhart)
- Coleman neutron task force




Mu2e Future Scientific Focus I

- Leading R&D for solenoid development (Ambrosio, Feher, Lamm, Lopes)
- Magnetic field prediction, mapping, and analysis (Buehler, Lopes, Tartaglia)




Lamm testing coil from Toshiba at FNAL



Tartaglia design of field mapping apparatus



Lopes mapping solenoid fields in Opera




Ambrosio and team work on solenoid interface




Mu2e Future Scientific Focus II


- Tracker R&D and algorithms (Mukherjee, Piacentino, Rusu, Tassielli, Wagner)
- Cosmic ray veto R&D and simulation (Glenzinski, Pla-Dalmau)
- Simulations, backgrounds, and DAQ (Bernstein, Gaponenko, Glenzinski, Knoepfel)



Mukherjee\Wagner designing and testing of tracker components




Knoepfel target composition



Rusu simulating tracker PID



Glenzinski test of CRV neutron response



Tassielli simulating energy loss in straws




Pla-Dalmau scintillator extrusions for cosmic ray veto

Poviow May 21, 2013

Fermilab


Mu2e Future Scientific Focus III

- Design and operation of muon beam line with high extinction (Ginther, Johnstone, Rakhno)
- Developing extinction monitor and analysis (Gaponenko, Kasper, Moed Sher)




Apologies to the many scientific contributions not explicitly mentioned


Gaponenko, Kasper designing and simulating extinction monitor



Moed Sher sources and rates for out-of-time protons




Gaponenko simulation of neutron backgrounds




Johnstone collimation downstream of AC dipole to achieve extinction





 $K^+ \to \pi^+ \nu \, \overline{\nu}$ is one a few SM FCNC that can be precisely calculated BR = (7.8 ± 0.8) x 10⁻¹¹

Single loop effective operator, dominated by top, excellent lattice calculations with major involvement from FNAL theory department



ORKA Motivation: 1000 event reach into the golden K⁺ channel

Special status relative to other future proposals


- 4th generation experiment
- advanced conceptual design
- Positive PAC response and Stage 1 Approval from FNAL director

Sensitive to new physics entering via loops

- 3 models shown at right with current limits from E949 and GN bound




ORKA R&D Overview & FNAL Cast




- Propose to place experiment in CDF hall
- Lab keeping the option to mount ORKA (or other experiment) in the hall
- Construct upgraded version of E949 detector reusing CDF solenoid
- Deliver 95 GeV beam from Main Injector
- Technically-driven schedule capable of data in 2017

B. CASEY	Analysis of MIPP data
D. CHRISTIAN	Siting at CDF, DAQ
A. GAPONENKO	Simulations
D. JENSEN	Dogleg beamline
J. LEWIS	CDF siting and costing
R. TSCHIRHART	Co-Spokesperson
H WHITE	Primary heam design




Casey analysis of MIPP data



Jensen G4 simulation of dogleg




Development of a coherent Muon Program



- Two years ago Mu2e and Muon (g-2) were two separate projects... potential synergies and conflicts had been identified, but not resolved



Development of a coherent Muon Program



How Mu2e and Muon g-2 look today...

- Areas of conflict identified and resolved
- Areas of synergy identified and optimized
- Muon program developed to meet the scientific requirements while minimizing the total cost of the program



Synergistic plan emerges for muon program

Optimized plan presented to DOE in Jan 2012 by Glenzinski, Polly, Ray, and Jerry

Annala (new head

of muon dept)

Beam Transport AIP:

New connection from Recycler to Delivery Ring, improve apertures

MC-1 Building GPP:

Houses cryo plant, power supplies for beams, g-2

Cryo Plant AIP:

Cryogenics to both experimental halls



Recycler RF AIP:

Adds RF capability to Recycler meeting g-2/Mu2e specifications

Delivery Ring AIP:

Modify Delivery Ring to deliver custom beams to the muon experiments

Beamline Enclosure GPP:

New tunnel to Muon Campus

Infrastructure Upgrades:

Cooling for A0 compressors, MI-52 building extension, added feeder if needed



Exceptional scientists, but really much more...

Fermilab scientists play a vital role as conduits of information and coordination to develop new proposals, make the tires meet the pavement, and implement the OHEP mission

The plan for the Muon program could never have arisen were it not for help from many corners of the laboratory and collaborations

Can see this same thing in the neutrino program





Picture of high-rise backyard in a few years




The success of this program will hinge on the continued coordination effort from many of the scientists discussed today...interfaces critical



That coordination will continue into the era of new, even more intense beams

- Project X Plan continues to evolve based on input from scientists
- Paper-clip' design driven by maximizing physics potential



Day 1 possibilities with Stage 1

- Feed Booster to double beam to muon program (Muon g-2 or next expt in hall)
- Similarly increase beam power in MI to support neutrino or kaon program
- Direct 1 GeV beam with ideal beam structure directly to upgraded Mu2e for > 10x statistics
 - 900 kW at 1 GeV

Build out 3 GeV upgrade with no interference to running program

- Feed 3 GeV beam to kaon experiment upgrade in CDF hall (not shown)
 - New 3 GeV campus



Conclusions

Fermilab physicists are playing vital roles in developing a compelling, viable precision physics program with continuous physics output

- Starts with Muon g-2 data in 2016 and Mu2e in 2019
- Many avenues for future efforts like ORKA or other muon experiments
- Natural evolution into stage 1 Project X era

Strong and balanced portfolio of project management, scientific achievement, and collaboration leadership

Working very hard with our colleagues from universities and other laboratories to establish a bright future at the Intensity Frontier

